



ELECTA AMATOR II



*Sonus faber*



## ELECTA AMATOR II

IL RISULTATO DEGLI APPRENDIMENTI MATURATI AD OGGI È L'INIZIO DI UNA NUOVA DECADE.

ISPIRATA AI CONCETTI DELLA PIÙ FINE EBANISTERIA, LA CAMERA ACUSTICA A RISONANZA CONTROLLATA È REALIZZATA A MANO CON VENTIQUEATTRO DOGHE IN ESSENZA DI NOCE.

L'ESCLUSIVA COMPONENTISTICA È STATA PROGETTATA E COSTRUITA DAI MIGLIORI SPECIALISTI DI SCUOLA SCANDINAVA.

IL SUONO FISIOLÓGICO COME MODO PIÙ NATURALE DI PORGERE MUSICA: UN CONCETTO CHE SI È SVILUPPATO E CONSOLIDATO NEL TEMPO.

## ELECTA AMATOR II

A DECADE'S EXPERIENCE, RESULTING IN A PRODUCT FOR A NEW MILLENNIUM.

...THE BENEFICIARY OF THE LEGACY OF WARMTH AND MUSICALITY THAT IS ALWAYS THE HEART OF OUR WORK... OLD WORLD TRADITIONS RE-DEFINING A FORM AT ONCE FAMILIAR YET ALWAYS FRESH AND NEW.

... THE CRISP SOUND OF NORTHERN EUROPEAN DRIVER ELEMENTS, FINE-TUNED FOR IMPROVED RICHNESS... THE HAND-SELECTED ITALIAN WALNUT STAVES, FORMING A PERFECT ACOUSTIC CHAMBER...

... A METHOD OF LISTENING WHICH INVOLVES THE HEART, THE SOUL, THE MIND, THE BODY... A MODE OF APPRECIATION WHICH INFORMS AND GUIDES US, TO ENABLE US TO CREATE DESIGNS WHICH STAND THE TEST OF TIME.



ELECTA AMATOR II

SYSTEM:

14 LITER TWO-WAY WITH PASSIVE RADIATOR

TWEETER:

20mm SILK DOME, HIGH-RESOLUTION TYPE

MID-WOOFER:

180mm HIGH-PERFORMANCE, LOW DISTORTION DRIVER

- COPPER RING SYSTEM VOICE COIL

- PAPER CARBONIUM CONE

LOW BASS:

35Hz TUNED, PASSIVE RADIATOR

WITH SPECIAL HIGH DENSITY PAPER CONE



CROSSOVER:

2.5KHz FIRST-ORDER ATTENUATED

SENSITIVITY:

88 dB/m/W

IMPEDANCE:

8 ohms NOMINAL

POWER HANDLING:

30-200W



FREQUENCY RESPONSE:

35-20.000 Hz

CABINET:

INDIVIDUAL STRUTS OF SOLID WALNUT  
FOR RESONANCE CONTROL

DIMENSION:

38x22.5x36 cm (HxWxD)

15x9x14 in. (HxWxD)

WEIGHT:

30 Kg. (66 lbs.) PER PACKAGED PAIR